

Planned Reservation of Encoding for Aksara Beringin

BMP Private Use Area (U+EBA0 .. U+EBFF)

U+ EB	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
A																
B																
C																
D																
E																
F																

U+EBA0 .. U+EBBF : Native beringin letters (currently 23 consonants and 6 vowels)

U+EBC0 .. U+EBCF : Native beringin affixes (currently 13 characters)

U+EBD0 .. U+EBDF : Native beringin numbers (currently 10 characters)

U+EBE0 .. U+EBEF : Native beringin punctuation marks (currently 15 characters)

U+EBF0 .. U+EBFF : Beringin extension (currently 15 consonants)

Native Beringin Letters

Codepoint	Character	Name and Description
U+EBA0	ꦧ	BERINGIN LETTER BEH - Equivalent letter in Latin script: B - Consonant of Voiced bilabial plosive (Indonesian & Malay)
U+EBA1	ꦥ	BERINGIN LETTER PEH - Equivalent letter in Latin script: P - Consonant of voiceless bilabial plosive (Indonesian & Malay)
U+EBA2	ꦢ	BERINGIN LETTER DEH - Equivalent letter in Latin script: D - Consonant of voiced alveolar plosive (Indonesian & Malay)
U+EBA3	ꦠ	BERINGIN LETTER TEH - Equivalent letter in Latin script: T - Consonant of voiceless dental plosive (Indonesian) - Consonant of voiceless alveolar plosive (Malay)
U+EBA4	ꦕ	BERINGIN LETTER CHEH - Equivalent letter in current Latin script: C - Equivalent letter in old Latin script: TJ (Indonesian) / CH (Malay) - Consonant of voiceless postalveolar affricate (Indonesian & Malay)
U+EBA5	ꦗ	BERINGIN LETTER JEH - Equivalent letter in current Latin script: J - Equivalent letter in old Latin script: DJ (Indonesian) / J (Malay) - Consonant of voiced postalveolar affricate (Indonesian & Malay)
U+EBA6	ꦒ	BERINGIN LETTER GEH - Equivalent letter in Latin script: G - Consonant of voiced velar plosive (Indonesian & Malay)
U+EBA7	ꦏ	BERINGIN LETTER KA - Equivalent letter in Latin script: K - Consonant of voiceless velar plosive (Indonesian & Malay)
U+EBA8	ꦏꦩ	BERINGIN LETTER EHM - Equivalent letter in Latin script: M - Consonant of voiced bilabial nasal (Indonesian & Malay)
U+EBA9	ꦏꦤ	BERINGIN LETTER EHN - Equivalent letter in Latin script: N - Consonant of voiced alveolar nasal (Indonesian & Malay)
U+EBAA	ꦏꦚ	BERINGIN LETTER NYE - Equivalent letter in current Latin script: NY - Equivalent letter in old Latin script: NJ (Indonesian) / NY (Malay) - Consonant of voiced palatal nasal (Indonesian & Malay)
U+EBAB	ꦏꦚꦤ	BERINGIN LETTER ENG - Equivalent letter in Latin script: NG - Consonant of voiced velar nasal (Indonesian & Malay)

Codepoint	Character	Name and Description
U+EBAC		BERINGIN LETTER EHS - Equivalent letter in Latin script: S - Consonant of voiceless alveolar sibilant (Indonesian & Malay)
U+EBAD		BERINGIN LETTER ZEHT - Equivalent letter in Latin script: Z - Consonant of voiced alveolar sibilant (Indonesian & Malay)
U+EBAE		BERINGIN LETTER EHL - Equivalent letter in Latin script: L - Consonant of voiced alveolar lateral approximant (Indonesian & Malay)
U+EBAF		BERINGIN LETTER EHR - Equivalent letter in Latin script: R - Consonant of voiced alveolar trill (Indonesian & Malay)
U+EBB0		BERINGIN LETTER HA - Equivalent letter in Latin script: H - Consonant of voiceless glottal fricative (Indonesian & Malay)
U+EBB1		BERINGIN LETTER EHF - Equivalent letter in Latin script: F - Consonant of voiceless labiodental fricative (Indonesian & Malay)
U+EBB2		BERINGIN LETTER YEH - Equivalent letter in current Latin script: Y - Equivalent letter in old Latin script: J (Indonesian) / Y (Malay) - Consonant of voiced palatal approximant (Indonesian & Malay)
U+EBB3		BERINGIN LETTER WEH - Equivalent letter in Latin script: W - Consonant of voiced labio-velar approximant (Indonesian & Malay)
U+EBB4		BERINGIN LETTER FI - Equivalent letter in Latin script: V - Consonant of voiceless labiodental fricative (Loanwords in Indonesian) - Consonant of voiced labiodental fricative (Malay)
U+EBB5		BERINGIN LETTER KI - Equivalent letter in Latin script: Q - Consonant of voiceless velar plosive (Loanwords in Indonesian) - Consonant of voiceless uvular plosive (Malay)
U+EBB6		BERINGIN LETTER EHKS - Equivalent letter in Latin script: X - Special letter for name and loanwords: - Consonant of voiceless alveolar sibilant (Indonesian) - Consonant of voiced alveolar sibilant (Indonesian & Malay) - Consonant cluster /ks/ (Indonesian & Malay) - Consonant cluster /gz/ (Malay)

Codepoint	Character	Name and Description
U+EBB7	ꦲ	BERINGIN VOWEL A - Equivalent letter in Latin script: A - Vowel of open front unrounded (Indonesian & Malay)
U+EBB8	ꦲꦶ	BERINGIN VOWEL I - Equivalent letter in Latin script: I - Vowel of close front unrounded (Indonesian & Malay)
U+EBB9	ꦲꦸ	BERINGIN VOWEL U - Equivalent letter in current Latin script: U - Equivalent letter in old Latin script: OE (Indonesian) / U (Malay) - Vowel of close back protruded (Indonesian & Malay)
U+EBBA	ꦲꦺ	BERINGIN VOWEL O - Equivalent letter in Latin script: O - Vowel of close-mid back rounded (Indonesian & Malay)
U+EBBB	ꦲꦺꦴ	BERINGIN VOWEL EH - Equivalent letter in current Latin script: E - Equivalent letter in old Latin script: É (Indonesian) / E (Malay) - Vowel of open-mid front unrounded (Indonesian & Loanword in Malay) - Vowel of close-mid front unrounded (Indonesian & Malay) - Vowel of near-close front unrounded (Indonesian)
U+EBBC	ꦲꦺꦴꦺ	BERINGIN VOWEL E - Equivalent letter in current Latin script: E - Equivalent letter in old Latin script: E (Indonesian) / Ě & Ě (Malay) - Vowel of mid central (Indonesian & Malay)

Native Beringin Affixes

Codepoint	Character	Name and Description
U+EBC0	ϣ	<p>BERINGIN AFFIX MEN</p> <ul style="list-style-type: none"> - This letter is used for the prefix: me-, mem-, men-, meng-, meny- - This letter is used as part of the prefix: member- (combine with Beringin Affix Per) - This letter is used as the opening of the circumfix: me-...-kan, me-...-i, mem-...-kan, mem-...-i, men-...-kan, men-...-i, meng-...-kan, meng-...-i, meny-...-kan, meny-...-i - This letter is used as part of the opening of the circumfix: member-...-kan, member-...-i (combine with Beringin Affix Per)
U+EBC1	ϣ	<p>BERINGIN AFFIX DI</p> <ul style="list-style-type: none"> - This letter is used for the prefix: di- - This letter is used as part of the prefix: diper- (combine with Beringin Affix Per) - This letter is used as the opening of the circumfix: di-...-kan, di-...-i - This letter is used as part of the opening of the circumfix: diper-...-kan, diper-...-i (combine with Beringin Affix Per)
U+EBC2	ϣ	<p>BERINGIN AFFIX PEN</p> <ul style="list-style-type: none"> - This letter is used for the prefix: pe-, pem-, pen-, peng-, peny-, pel- - This letter is used as the opening of the circumfix: pe-...-an, pem-...-an, pen-...-an, peng-...-an, peny-...-an, pel-...-an
U+EBC3	ϣ	<p>BERINGIN AFFIX SE</p> <ul style="list-style-type: none"> - This letter is used for the prefix: se- - This letter is used for the circumfix: se-...-an
U+EBC4	ϣ	<p>BERINGIN AFFIX BER</p> <ul style="list-style-type: none"> - This letter is used for the prefix: be-, ber-, bel- - This letter is used as part of the circumfix: be-...-an, ber-...-an, bel-...-an, be-...-kan, ber-...-kan, bel-...-kan
U+EBC5	ϣ	<p>BERINGIN AFFIX TER</p> <ul style="list-style-type: none"> - This letter is used for the prefix: ter- - This letter is used as the opening of the circumfix: ter-...-kan
U+EBC6	ϣ	<p>BERINGIN AFFIX PER</p> <ul style="list-style-type: none"> - This letter is used for the prefix: per- - This letter is used as part of the prefix: member- (combine with Beringin Affix Men) - This letter is used as the opening of the circumfix: per-...-an, per-...-kan, per-...-i - This letter is used as part of the opening of the circumfix: member-...-kan, member-...-i (combine with Beringin Affix Men); diper-...-kan, diper-...-i (combine with Beringin Affix Di)
U+EBC7	ϣ	<p>BERINGIN AFFIX KE</p> <ul style="list-style-type: none"> - This letter is used for the prefix: ke- - This letter is used as the opening of the circumfix ke-...-an

Codepoint	Character	Name and Description
U+EBC8	ᮀ	BERINGIN AFFIX AN - This letter is used for the suffix: -an - This letter is used as the closing of the circumfix pe-...-an, pem-...-an, pen-...-an, peng-...-an, peny-...-an, pel-...-an, se-...-an, be-...-an, ber-...-an, bel-...-an, per-...-an, ke-...-an
U+EBC9	ᮁ	BERINGIN AFFIX KAN - This letter is used for the suffix: -kan - This letter is used as the closing of the circumfix me-...-kan, mem-...-kan, men-...-kan, meng-...-kan, meny-...-kan, memper-...-kan, di-...-kan, diper-...-kan, be-...-kan, ber-...-kan, bel-...-kan, ter-...-kan, per-...-kan
U+EBCA	ᮂ	BERINGIN AFFIX KAH - This letter is used for the suffix: -kah
U+EBCB	ᮃ	BERINGIN AFFIX LAH - This letter is used for the suffix: -lah
U+EBCC	ᮄ	BERINGIN AFFIX NYA - This letter is used for the suffix: -nya

Some of the affixes in Indonesian and Malay are spelt as is and will not have dedicated letter:

- Suffix -i will use Beringin Vowel I
- Closing of the circumfix me-...-i, mem-...-i, men-...-i, meng-...-i, meny-...-i, memper-...-i, di-...-i, diper-...-i, per-...-i will all use Beringin Vowel I
- Infix -el-, -em-, -er-, will be spelt as is because it is now considered as part of the word that got affixed instead of real affixes
- Other affixes will be spelt in full, this includes the prefix maha-, pasca-, pra-, eka-, bi-, dwi, anti-, pro-, tata-, juru- and others

Native Beringin Numbers

Codepoint	Character	Name and Description
U+EBD0	+	BERINGIN DIGIT ZERO
U+EBD1	1	BERINGIN DIGIT ONE
U+EBD2	↑	BERINGIN DIGIT TWO
U+EBD3	↑	BERINGIN DIGIT THREE
U+EBD4	↑	BERINGIN DIGIT FOUR
U+EBD5	↑	BERINGIN DIGIT FIVE
U+EBD6	↑	BERINGIN DIGIT SIX
U+EBD7	↑	BERINGIN DIGIT SEVEN
U+EBD8	↑	BERINGIN DIGIT EIGHT
U+EBD9	Φ	BERINGIN DIGIT NINE

Native Beringin Punctuation Marks

Codepoint	Character	Name and Description
U+EBE0	ᄁ	BERINGIN COMMA
U+EBE1	ᄂ	BERINGIN PERIOD
U+EBE2	ᄃ	BERINGIN QUESTION MARK
U+EBE3	ᄄ	BERINGIN EXCLAMATION MARK
U+EBE4	ᄅ	BERINGIN SEMICOLON
U+EBE5	ᄆ	BERINGIN COLON
U+EBE6	ᄇ	BERINGIN OPENING PARENTHESIS
U+EBE7	ᄈ	BERINGIN CLOSING PARENTHESIS
U+EBE8	ᄉ	BERINGIN OPENING SINGLE QUOTATION MARK
U+EBE9	ᄊ	BERINGIN CLOSING SINGLE QUOTATION MARK
U+EBEA	ᄋ	BERINGIN OPENING DOUBLE QUOTATION MARK
U+EBEB	ᄌ	BERINGIN CLOSING DOUBLE QUOTATION MARK
U+EBEC	ᄍ	BERINGIN SOLIDUS
U+EBED	ᄎ	BERINGIN HYPHEN
U+EBEE	ᄏ	BERINGIN WORD DUPLICATION MARK

Beringin Extension

Codepoint	Character	Name and Description
U+EBF0		BERINGIN LETTER SYA <ul style="list-style-type: none">- Equivalent letter in current Latin script: SY- Equivalent letter in old Latin script: SJ (Indonesian) & SH (Malay)- Consonant of voiceless palato-alveolar fricative (Indonesian & Malay)
U+EBF1		BERINGIN LETTER KHA <ul style="list-style-type: none">- Equivalent letter in current Latin script: KH- Equivalent letter in old Latin script: CH (Indonesian) & KH (Malay)- Consonant of voiceless velar fricative (Indonesian & Malay)
U+EBF2		BERINGIN LETTER GHA <ul style="list-style-type: none">- Equivalent letter in Latin script: GH- Consonant of voiced velar fricative (Indonesian & Malay)
U+EBF3		BERINGIN LETTER THA <ul style="list-style-type: none">- Equivalent letter in Latin script: TH- Consonant of pharyngealized voiceless alveolar stop (Indonesian & Malay)
U+EBF4		BERINGIN LETTER DHA <ul style="list-style-type: none">- Equivalent letter in Latin script: DH- Consonant of pharyngealized voiced alveolar stop (Indonesian & Malay)
U+EBF5		BERINGIN LETTER SWA <ul style="list-style-type: none">- Equivalent letter in Latin script: SW- Consonant of labialized voiceless alveolar sibilant (Indonesian & Malay)
U+EBF6		BERINGIN LETTER DWA <ul style="list-style-type: none">- Equivalent letter in Latin script: DW- Consonant of labialized voiced alveolar stop (Indonesian & Malay)
U+EBF7		BERINGIN LETTER TRA <ul style="list-style-type: none">- Equivalent letter in Latin script: TR- Consonant of voiceless alveolar non-sibilant affricate (Indonesian & Malay)
U+EBF8		BERINGIN LETTER DRA <ul style="list-style-type: none">- Equivalent letter in Latin script: DR- Consonant of voiced alveolar non-sibilant affricate (Indonesian & Malay)
U+EBF9		BERINGIN LETTER TSA <ul style="list-style-type: none">- Equivalent letter in Latin script: TS- Consonant of voiceless alveolar sibilant affricate (Indonesian & Malay)
U+EBFA		BERINGIN LETTER DZA <ul style="list-style-type: none">- Equivalent letter in Latin script: DZ- Consonant of voiced alveolar sibilant affricate (Indonesian & Malay)

Codepoint	Character	Name and Description
U+EBFB	𐄫	BERINGIN LETTER JYA - Equivalent letter in Latin script: JY - Consonant of palatalized voiced postalveolar affricate (Indonesian & Malay)
U+EBFC	𐄬	BERINGIN LETTER KYA - Equivalent letter in Latin script: KY - Consonant of palatalized voiceless velar plosive (Indonesian & Malay)
U+EBFD	𐄭	BERINGIN LETTER GYA - Equivalent letter in Latin script: GY - Consonant of palatalized voiced velar plosive (Indonesian & Malay)
U+EBFE	𐄮	BERINGIN LETTER AK - Equivalent letter in Latin script: ' (apostrophe) / K / G / Q - Consonant of glottal plosive (Indonesian & Malay)